

Customer ID: 220927-3

Certificate of Analysis

Company: Rebel East LLC Sample ID: Ridgeline Runtz

 Lot: HL-CLTV0049-231-0
 Report Date: 12/11/2023

 Matrix: Flower
 Date Analyzed: 12/11/2023

Date Sampled: N/A Analyst: 048

Grower License #: CLTV0049 Date Received: 11/17/2023 Report ID: C231117AV

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	0.792	0.079
Camphene	0.010	0.156	0.016
β-Myrcene	0.010	2.414	0.241
b-Pinene	0.010	1.456	0.146
3-Carene	0.010	0.041	0.004
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	7.119	0.712
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.050	0.005
Y-Terpinene	0.010	0.015	0.002
Terpinolene	0.010	0.262	0.026
Linalool	0.010	2.118	0.212
Isopulegol	0.010	0.316	0.032
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	6.320	0.632
α-Humulene	0.010	2.917	0.292
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	0.138	0.014
Caryophyllene Oxide	0.010	0.064	0.006
α-Bisabolol	0.010	0.100	0.010
Total Terpenes		24.278	2.429

11.49%

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

BATCH #11

C231117AV