



Certificate of Analysis

Company: Rebel East LLC Sample ID: MAC1

Lot: HL-CLTV0049-231-0 **Report Date:** 12/11/2023

Matrix: Flower Date Analyzed: 12/8/2023

Customer ID: 220927-3 Date Sampled: N/A Analyst: 045
Grower License #: CLTV0049 Date Received: 11/17/2023 Report ID: C231117AS

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	2.293	0.229
Camphene	0.010	0.294	0.029
β-Myrcene	0.010	2.523	0.252
b-Pinene	0.010	2.767	0.277
3-Carene	0.010	0.044	0.004
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	7.376	0.738
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.054	0.005
Y-Terpinene	0.010	0.022	0.002
Terpinolene	0.010	0.178	0.018
Linalool	0.010	3.041	0.304
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	4.891	0.489
α-Humulene	0.010	2.597	0.260
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	0.092	0.009
α-Bisabolol	0.010	0.112	0.011
Total Terpenes		26.284	2.627

10.71%

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke E.M

C231117AS

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)